



- Furniture Integration
- Table Integration
- Kitchenintegration
- Programmable
- 200.000 cycles tested
- 5 Years Flatlift Warranty
- **Mega stroke up to 1330mm**


In 2 Variants available:

- 665mm rigid
- 1330mm rigid -optional 360° manuel swivel on request

Technical Data:

Productnumber:	check table
e-Drives:	Columns
Operating voltage:	230V~ Input
Power consumption:	2A/600W
Connection:	Power cable, plug-in power supply
Control:	Radio Remote 433Mhz / potentialfree contacts
Protection class:	IP20
Duty cycle:	10%
Temperature range :	-15 to +70°
Blocking protection:	Electronically
Anti-pinch protection:	Electronically
Lifting force:	700N
Max. speed:	38mm/s - 84mm/s without load
Noise Level:	Low uniform sound
Bending moment:	max. 150Nm dynamically
Colour:	RAL 9005 / RAL 9006 degree of gloss 30
Dimensions:	check table
Structure:	Steelconstruction, powdercoated
Certifications:	EN60335-1 / UL 962

Additional equipment:	Lid-O-Matic Serie
	Lid-Fixing-Brackets
	IR-Remote Set
	PLU Flatlift Software
	Flatlift Remote APP

Product built in dimensions:

A width
B depth
C height retracted
D height extended

30/42 Gold Art. Nr: FL-10003	780mm	139mm	622mm	1288mm
52/60 Gold Art. Nr: FL-10005	780mm	144mm	678mm	2008mm
60/65 Gold Art. Nr: FL-10109	1265mm	156mm	856mm	2186mm

max. TV height
max. TV weight
max. TV depth
max. stroke

30/42 Gold Art. Nr: FL-10003	615mm	45kg	110mm	665mm
52/60 Gold Art. Nr: FL-10005	850mm	55kg	110mm	1330mm
60/65 Gold Art. Nr: FL-10109	1000mm	65kg	120mm	1330mm

Remarks:

For the TV should be at least 10mm distance per side to the installation site to be selected.

Our systems are supplied as standard with a deadman circuit as well as potential-free contacts.

Optional control options:

- RS 232
- Flatlift APP
- radio 868MHz
- Infrared RC5 code

All systems are TV downwards compatible. The upper and lower end points as well as travel speed can be adjusted by means of the Flatlift PLU software.

Tendering:**30/42 Pop-Up Gold - Art.Nr.: FL-10003**

Motorized TV lifting system for floor, wall and furniture mounting
Rigid motorized TV lifting system. Quiet lifting movement and gentle start & stop
System. The system can be raised and lowered vertically and contains an electronic
blocking and anti-pinch protection.

- Display sizes 30-42 inches.
- Max. TV height 615mm
- Max. TV Weight 45kg,
- Drive stroke cylindrical,
- 230 V input voltage, max. 1.3A Current consumption at
300Watt power consumption

Product like manufacturer: Flatlift

Type: Flatlift 30/42 Gold

Tendering:**52/60 Pop-Up Gold - Art.Nr.: FL-10005**

Motorized TV lifting system for floor, wall and furniture mounting
Rigid motorized TV lifting system. Quiet lifting movement and gentle start & stop
System. The system can be raised and lowered vertically and contains an electronic blocking
and anti-pinch protection.

- Display sizes 52-60 inches.
- Max. TV height of 850mm
- Max. TV Weight 55kg,
- Drive stroke cylindrical,
- 230 V input voltage, max. 2A Power consumption at
400Watt power consumption

Product like manufacturer: Flatlift
Type: Flatlift 52/60 Gold

60/65 Pop-Up Gold - Art.Nr.: FL-10109

Motorized TV lifting system for floor, wall and furniture mounting
Rigid motorized TV lifting system. Quiet lifting movement and gentle start & stop
System. The system can be raised and lowered vertically and contains an electronic blocking
and anti-pinch protection.

- Display size 60+ inches.
- Max. TV height of 1000mm
- Max. TV Weight 55kg,
- Drive stroke cylindrical,
- 230 V input voltage, max. 2A Power consumption at
600Watt power consumption

Product like manufacturer: Flatlift
Type: Flatlift 60/65 Gold